

MACHINERY CATALOG QUALITY NEVER COMPROMISES!

www.jangircompany.in

WE ARE PROUDLY LEADING THE INDUSTRY WITH 40+ YEARS OF TRUST AND 400+ TAPE TALES





TC-90-1008K -Kundli, Tehsil-Rai, Sonipat, Haryana-131028 A-21-22, Ambey Garden, Libaspur, GT Karnal Road Delhi-110042

Manufacturer & Exporter :

B.O.P.P. Self Adhesive Tape Plant | P.V.C. Insulation Tape Plant Roto Gravure Printing | SPF & LD Coating | Slitting Rewinding Micro Slitting Rewinding | Stationery Tape Slitting Rewinding Slicer Machine | Core Cutting Machines









BOPP SELF ADHESIVE TAPE COATING & LAMINATION PLANT



SLITTING REWINDING MACHINE



MINI SLITTING REWINDING MACHINE



DOCTOR REWINDING MACHINE



SINGLE SHAFT REWINDER MACHINE



TWO SHAFT REWINDING MACHINE



CORE CUTTING MACHINE



PAPER CORE LOADER MACHINE



ROTOGRAVURE PRINTING MACHINE



MANUAL SLICER MACHINE




TWO SHAFT SLICER MACHINE



FOUR SHAFT SLICER MACHINE



SHRINK WRAPPING MACHINE



P.V.C. TAPE PLANT



BOPP SELF ADHESIVE TAPE COATING & LAMINATION PLANT

APPLICATION

This Machine Manufactures The Following Products:

- B.O.P.P. Packing Tape
- SPF & LD Film
- Label Stickers
- Silicon Coating (Release Paper)

Working Size	720 mm-1620 mm
	A CONTRACTOR OF A CONTRACT
Machine	Depend on Machine
Speed	Size
Coating	Mayer Bar
Method	System
Heating Length	30 Feet to 150 Feet
Heating	Hot Air Generator,
Method	Electric
Rewinding	Double & Auto Turret
System	Rewinding
Tension Control	Manual & Automatic



SLITTING REWINDING MACHINE FULLY AUTOMATIC

TECHNICAL SPECIFICATION

Working Size	720 mm-1620 mm
Unwinding	
Diameter Max.	600 mm
Cutting Size	12mm-72mm
Motor	5 H.P. (3Ph)
Shafts Change	
Motor	1/2 H.P.

APPLICATION

- Self-Adhesive Tape
- Stationary Tape
- Cellophane Tape



MINI SLITTING REWINDING MACHINE



This Machine is Used for Cutting Mini Jumbo Rolls.

TECHNICAL SPECIFICATION

Working Size	288mm
Cutting Size	12mm-72mm
Motor	1 H.P.D. C.
Rewinding	25MM & 76mm
Shafts Changing	0.25 HP AC Single
Motor	Phase

DOCTOR REWINDING MACHINE

This Machine is used for Telescope Rolls.

Working Size	120 mm
Unwinding	
Diameter Max.	600 mm
Motor	1 H.P. (Single Phase)





REWINDER MACHINE



APPLICATION

Rewind for Log Rolls

- Masking Tape
- Tissue Tape
- Aluminum Tape
- Foam Tape
- Medical Cloth Tape
- Scratch Protection Tape
- Polyester Tape

Rewinding Width	750 MM to 1600 MM
Rewinding Shaft	76 MM Dia Air Shaft
	with Pneumatic
	Locking
Clutch	Pneumatic
Brake	Pneumatic
Main Motor	5 H.P. AC
Drive / Panel	5 H.P. AC
Length Counter	Make Multi Span
Bow Roller	Wrinkle Free Rewinding

TWO SHAFT REWINDING MACHINE

TECHNICAL SPECIFICATION

WEB WIDTH	1600 mm.
REWINDING	76 mm. Pneumatic
SHAFT	Shaft with Pneumatic
	Locking
CLUTCH	Pneumatic
BRAKE	Pneumatic
MAIN MOTOR	5 H.P. AC
DRIVE / PANEL	5 H.P. AC with PLC
	control
LENGTH COUNTER	With PLC Touch Screen
BOW ROLLER	Wrinkle Free Rewinding
a state with the second second second second	

APPLICATION

Rewind for Log Rolls

- Masking & Tissue Tape
- Aluminium & Foam Tape
- Medical Cloth Tape
- Scratch Protection Tape
- Polyester Tape



CORE CUTTING MACHINE

TECHNICAL SPECIFICATION

Cutting Size	12mm-72mm
Paper Core Inner	
Dia	76mm
Round Blade Dia	100mm
Motor	1 H.P.A.C.
Cutting Shaft	
Material	Nylon

APPLICATION

This Machine is Used for Paper Core Cutting.



PAPER CORE LOADER MACHINE (FULLY AUTOMATIC)

OMPANY

. . . .



This machine is suitable for paper core feeding in slitting machines shafts for bulk quantity BOPP cello tape production for any size.

Machinery Width	1320 mm
Paper Core	
Thickness	4 mm
Paper Core ID	76 mm
Pneumatics	
Air Cylinder OD	100 mm



ROTOGRAVURE PRINTING MACHINE

APPLICATION

This Machine is Used in Printing BOPP Tape.

Maximum Speed	100 m/min
Web Width	320mm-1620mm
Material	Casting
Heating Source	Electric



MANUAL SLICER MACHINE


TECHNICAL SPECIFICATION

Cutting Width Max	740-1600 mm
Paper Core I.D.	38-76 mm
Log O.D. Max	200 mm
Motor A.C.	2 H.P.

APPLICATION

For Slicing of Log Rolls

- Masking Tape
- Double Side Tape
- Foam Tape
- Tissue Tape
- P.V.C. Insulation Tape





TWO SHAFT SLICER MACHINE

APPLICATION


Sliced for Log Rolls

- Masking Tape
- Medical Cloth Tape
- Foam Tape
- Scratch Protection Tape
- PVC Insulation
- Tissue Tape
- Polyester Tape
- Aluminium Tape

Web Width	1600 mm.
Cutting Dia	8 "(Inch)
	76 mm and 38mm with
Shaft	Pneumatic Locking
Main Motor	2 H.P. AC
Servo Motor	700 W AC (Cutting Size)
Cutting Size	Min. 3 mm Set for Servo
	Drive System
Core Gripping	Pneumatic System
Cutting System	Pneumatic System



FOUR SHAFT SLICER MACHINE TURRET SYSTEM AUTOMATIC / PLC DRIVE CONTROL



TECHNICAL SPECIFICATION

Web Width	1600 mm/1320 mm (PVC)
Cutting Dia	300 mm (PVC 110mm)
Paper Core Dia	76 mm & 38 mm Dia
	Pneumatic Locking
Main Motor	5 H.P. AC & AC Drive
Blade Rotation	1 H.P. AC &
Motor	AC Drive
Servo System	1 KW (2 Motors) & 200
Per 3 Access	Watt (1 Motor)
Motion	
	High Accuracy
Cutting Size	Cutting System with
	Min. 3mm to Full
	Length
Core Gripping	Pneumatic System
Cutting System	Servo Motor System
Control	7" Colour Touch
	Screen with PLC

APPLICATION

- Masking Tape
- Tissue Tape
- Aluminum Tape
- Foam Tape
- Medical Cloth Tape
- Scratch Protection Tape
- Polyester Tape
- PVC Insulation Tape



....


SHRINK WRAPPING MACHINE

TECHNICAL SPECIFICATION

Capacity	6 piece/min
Voltage	440 V
Material	Iron
Phase	Three Phase
Coaveyar	8"

APPLICATION

This Machine is Used for Shrinking the Wrap.



TECHNICAL SPECIFICATION

Working Size	720-1320 mm
Machine Speed	10 m/min
Long Roll Size	10 metre
Rewinding	Auto & Pneumatic

APPLICATION

- This is P.V.C. Insulation Adhesive Coating Machine.
- Precision Coating Unit Suitable for Water Base, Rubber Base & Primer Coating.
- A Safe & Highly Efficient Drying Oven Operate easily.





Quality Never Compromises!

WE ARE PROUDLY LEADING THE INDUSTRY WITH 40+ YEARS OF TRUST AND 400+ TAPE TALES



Ambay garden, Plot No. 21A And 22A, near Sharma Property, Libaspur, Siraspur, Delhi, 110042



www.jangircompany.in 💿 +91-8851741317