

i-STIX[®]

Product

CATALOG



INSTABIZ SOLUTIONS
INDIA PRIVATE LIMITED

ABOUT

We, Instabiz Solutions India Pvt. Ltd., IS IPL would like to briefly introduce ourselves as one of the leading manufacturers of all types of self adhesive tapes. Located at Mumbai, Maharashtra.



We have highly technological and skilled workforce, to make our company fully domestic as well as an export focusing company. Our Instabiz team is as diverse as our products. What binds us together across international borders and business groups is our values.

Our item range focuses on adhesive products which mainly includes all kinds of Adhesive Tapes, Silicone Sealants, PU Sealants, PU Foam Sealants, Spray Paints, Abrasives and Other Adhesives. We focus to promote our brand in all items, and we also provide OEM services according to our customer requirements.

We have always aimed at becoming a strategic partner to all our suppliers and customers, whose role goes beyond supplying products. We provide our best services and facilities for creating long term business relations based on mutual understanding and benefits.

Over 10 years, i-Stix has evolved into a brand under our company name Instabiz Solutions India Pvt. Ltd. We have evolved into a global powerhouse driven by both integrity and innovation. This is a reputation built over time and a legacy we should be proud of. The responsibility to protect and enhance that legacy lies with each of us. This is a duty we must uphold to our customers and most importantly, to each other.

OUR COMPANY



Certificate of Registration

The Quality Management Systems



INSTABIZ SOLUTIONS INDIA PRIVATE LIMITED

J-10, PRESS MILL COMPOUND, MAGAZINE STREET, DARUKHANA, MAZGAON, MUMBAI 400010, MAHARASHTRA, INDIA

Has been assessed and found to conform to the requirements of:

ISO 9001:2015

This is to Certify that The Quality Management Systems of

For the following scope:
MANUFACTURER OF ADHESIVE TAPES

Certificate Number: TSNUK02896
Date of certification: 30-08-2022
1st Surveillance Audit date: 29-08-2023
2nd Surveillance Audit date: 29-08-2024
Certificate Expiry: 29-08-2025



Signed on Behalf of TSN Certification Limited

Director of Certifications



TSN Certification Limited

Registered with The Register of Companies for England and Wales (UK), Registration No. 13795099
UK Address: 17 King Edwards Road, College House, Ruislip, London, United Kingdom, HA4 7AE (UK)
India Address: 5/33, Ground Floor, Vinod Khana-5, Ganesh Nagar, Lucknow, Uttar Pradesh-226000

The certificate remains the property of TSN Certification Limited to whom it must be returned on request. Lack of fulfillment of certification terms and conditions at all times, may render this certificate invalid. The approval is subject to the company maintaining its system to the required standards. This certificate can be verified at www.tsn-certification.com



Accredited By:

EUAS - Euro Universal Accreditation Systems



OUR BRANDS



i-Wonder



01

SEALANTS

Sealants	01
Pu foam gun & cleaner	03
Pu foam sealant	04

05

SPRAYS

Anti Rust Lubricant	03
Spray Paints	05
Paint Stripper	07
Adhesive Remover	07
Adhesive Spray	08
Anti Leak Spray	08

09

ADHESIVE TAPES

Plastic Tapes	09
Paper Tapes	13
PVC Tapes	16
Foam Tapes	21
Cloth Tapes	27
Foil Tapes	29
Anti Slip Tapes	33
Speciality	35

41

CONNECT

New & Upcoming	40
Contact	41
Social Media	42

SILICON SEALANTS GENERAL PURPOSE IS 111 SILICONE SEALANT

General Purpose Silicone Sealant is one-part room temperature acetoxy cure silicone sealant. It is quickly cured, UV resistant and is a low modulus sealant. It has excellent weather ability, waterproof and good adhesion to most construction materials. It is suitable for sealing, repairing, glazing and mending of glass, glazing for window panels and other general building materials bonding. Stays elastic after curing.

Uses:

- For sealing doors and windows
- For all the glass-related work
- Building and construction joints
- Glazing and connection joints
- Elastic joints in cold storages and container applications
- Sealing in air conditioned systems

Volume: 300ml

Colors: Black / White / Clear / Grey

Shelf life: 12 months if keep sealing, and stored below 27°C in cool, dry place.



01

WEATHERSEAL

IS 112 SILICONE WEATHERSEALANT

Weatherseal Silicone Sealant is a one-component neutral curing silicone sealant with excellent adhesion, weatherability and elasticity for weather sealing in curtain wall and building facades, especially suits applications in the areas with large difference in temperature and low humidity. It has high resistance to ultraviolet radiation, heat and humidity, ozone and temperature extremes. It easily extrudes in any weather and quickly cures at room temperature by reaction with moisture in the air to form a durable seal.

Uses:

- For weatherproofing sealing nonstructural curtain wall joints, facade joints.
- Weather sealing in metal, glass, aluminum panel, and plastic.
- All usual building, connection, expansion and dilatation joints.
- Excellent for double glazing system applications.
- Weather sealing of joints in the facade industry.
- Excellent adhesion properties on glass, laminated glass, coated aluminum galvanized steel, concrete and masonry.

Volume: 300ml

Colors: Black / White / Clear/Grey.

Shelf life: 12 months if keep sealing, and stored below 27°C in cool, dry place.



WEATHERSEAL

02

IS 201

GUN & PU FOAM CLEANER



Gun & Foam Cleaner contains an environmentally safe propellant, which complies with the latest EU-regulations banning all CFC - propellants. It removes uncured (wet) polyurethane foam from hands, tools and gun applicators and can also be used to remove uncured foam from skin, clothing, door etc. Dry foam is non soluble and very difficult to remove and can only be removed mechanically. The adaptor may be used as a spray attachment, or the can may be connected to the gun to flush the barrel. Reusable dispensing. Zero VOC.

Uses:

- Foam cleaner removes uncured (wet) polyurethane foam from your gun applicator and other tools
- The adaptor nozzle may be used as a spray attachment, or the can may be connected to the applicator to flush the barrel. Cleans both 1-component and 2-component
- Suitable for cleaning screw adapter, hosepipe and foam on skin, clothing, floor, etc
- For cleaning and de-greasing of soiled surfaces

Volume: 500ml

Colors: Clear

Shelf life: 36 months if keep sealing. Store in cool, dry area. Do not expose to open flame. Excessive heat can cause premature aging of components resulting in shorter shelf life.

ANTI RUST IS 321 LUBRICANT

Anti Rust Lubricant (IS - 40) provides superior lubrication and longterm rust prevention to all metals subjected to rust and withstands 350 hours of salt corrosion. It protects tools and machinery and general equipment over long periods of downtime. Preserves engine blocks, pistons and components from atmospheric rusting. It is an excellent lubricant for extending the life of metal to metal sliding/rotating surfaces.

Uses:

- Lubricates moving parts such as hinges, wheels, rollers, chains, and gears.
- It protects against rust and corrosion on items like tools, and sporting equipment.
- It penetrates to free stuck corroded parts like nuts, bolts, valves and locks.
- It quickly removes adhesives, corrosion and paint.
- It displaces moisture to restore water flooded equipment such as engines, spark plugs and power tools.

Volume: 400ml

Colors: Amber Clear

Shelf life: 36 months, and stored below 25°C in cool, dry place.



03



IS 211

PU FOAM SEALANT

Construction PU Foam Sealant is based on moisture curing polyurethane, containing safety propellant, is used to insulate, fill and seal gaps and crevices with very high expansion yield UP TO 40~45 LITERS, the post-expansion is quite low to prevent deformation. The foam that dispenses from aerosol can is moisture cured and draws humidity from the air for cure. PU foam is widely used for filling joints between walls, ceilings, floors and gaps around pipes, windows and door frames. Foam can be cut once fully cured, lumber, metals, plywood, concrete, masonry and provides excellent bond to other materials. It is all season, all weather, multipurpose use. The Durable airtight seal-stops air infiltration, drafts and energy loss.

Uses:

- Installing, fixing and insulating of window and door frames
- Filling and sealing of gaps, joint, openings and cavities
- Sealing of openings in roof constructions and all types of cracks and holes
- Creation of a soundproof screen
- Mounting, bonding and sealing of window and door frames
- Connecting of insulation materials and roof constructions
- Heat preservation, cold and sound insulation
- Insulation of water, soundproofing of partition walls, car and boat cabins

Volume: 750ml

Colors: Light Yellow

Shelf life: 18 months if keep sealing. Store in cool, dry area. Do not expose to open flame.

Excessive heat can cause premature aging of components resulting in shorter shelf life.



04

SPRAY PAINTS IS 311

SPRAY PAINTS

Spray Paint



Spray Paint is acrylic-based aerosol paint, ideal for painting scratches and dents formed during mounting of metal tiles and other types of roofing. It is quick drying, smooth finish & high gloss.

Also can be used for painting metal, wood, plastics stone and concrete, porcelain, leather, automotive and motorcycle equipment, etc. Protects against corrosion, weather and wear resistant.

05

Black 39	Matt White 5	Bright Chrome 318	Bright Gold 319	Tang Orange 68	Medium Yellow 25	Sheifeng Blue 219	Mars Red 8
Matt Black 4	White 40	Bright Zinc 317	Gold 35	Jialing Red 14	Canary Yellow 41	Sky Blue 15	Anti Rust Brown 1201
Grey 301	Jinbei White 234	Silver 36	Fluorescent Pink	Fluorescent Red	Fluorescent Yellow	Fluorescent Blue	Golden Brown 29
Siemens Grey 48	Ivory 1128	Pearl White 130	Light Pink 313	Suzuki Red 131	Fluorescent Green	Grass Green 37	Laquer 40

Uses:

- Widely used in building and decoration, household and advertisement
- DIY painting
- Top coating for interior and exterior purposes
- Painting wood, steel, iron, aluminum, plastics, porcelain, leather, etc

Volume: 400ml

Colors: As per shade card

Shelf life: 36 months, and stored below 25°C in cool, dry place after the date of production.



paint STRIPPER



The i-STIX paint stripper spray is a product specially designed for the removal of dry layers of paint, enamels or varnishes on any surface. Thanks to its aerosol format, the paint stripper is easy and fast to apply, as well as being convenient to store and access.

The i-STIX paint stripper is a spray product that allows you to remove dry paint on walls, metal, glass, wood, stone, etc with little effort.



IS 302

Volume: 400ml

Shelf life: 36 months, and stored below 25°C in cool, dry place after the date of production.

adhesive REMOVER

i-STIX adhesive remover quickly cleans off old adhesive, made of special formulaions that has strong de-gluing function and can achive the ideal effect by gentally spraying and wiping. Will not dissolve or mar automotive paint that has been properly aged. Suitable for vinyl, wood, ceramic, nylon, plastic, granite, metal, painted surfaces, rubber or glass surfaces.



Volume: 400ml

Shelf life: 36 months, and stored below 25°C in cool, dry place after the date of production.

IS 303

07

adhesive SPRAY



i-STIX Adhesive Spray is simply a low viscosity glue dispensed from an aerosol can. Spray glues can be used for bonding wood, metal, acrylic, foam, fabric, cardboard, leather, corkboard, glass, foil, rubber, and many plastics. Spray adhesives are repositionable, allowing for detailed placement, dry's clear and won't bleed through or cause wrinkling on paper applications.



IS 331

Volume: 400ml

Shelf life: 36 months, and stored below 25°C in cool, dry place after the date of production.

anti leak SPRAY

i-STIX anti leak spray can be applied to roof, exterior wall cracks, pipe roots, slotted wing and other wake and easy in waterproof construction. Leakage point is suitable for narrow and complicated space difficult to reach by brushing tools, Leakage problem can be solved by simple spraying.



Volume: 400ml

Shelf life: 36 months, and stored below 25°C in cool, dry place after the date of production.



IS 341

08

DRYWALL MESH TAPE IS 5101



Drywall Joint Tape's fiberglass mesh is thin and light, greatly increases joint strength and durability for less cracking. Drywall Joint Tape creates a strong joint that is resistant to mold, moisture and fire. It features high tensile strength to deliver strong, reliable wall joints that resist cracking, stretching, wrinkling and tearing under tools. It prevents blisters and bubbles and is mold and moisture resistant.

Uses:

- Helps to eliminate the need for an embedding coat
- Any location that might be exposed to water.
- Preparing backer board for a tile installation.
- Permits same day joint finishing when used with a setting compound

Adhesive Type: Water Based Acrylic

Sizes Available: Cut Size and Jumbo Roll

Colors: White

IS 5102 BOPP TAPE

Packaging tape, BOPP is briefly abbreviated as Bi-axially Oriented Polypropylene. BOPP packing tapes are widely used in the shipping, inventory management and the logistics industry. It shows good resistance to oil and greases. When the tape is exposed to an array of temperatures, it shows good puncture and flex crack resistance.

Uses:

- Used for packaging of cartons, packages, goods and other boxes, respective of the industry.
- Used in labeling as different colors specify different uses and signs.
- Used for branding of products. The brands are printed on the tapes which are used to pack the cartons.
- Used for sticking papers and small files, envelopes and other items in office and school work.

Adhesive Type: Water Based Acrylic

Sizes Available: Cut Size and Jumbo Roll

Colors: Black / White / Clear / Super Clear / Brown & Other Colors

Thickness in Micron: 36, 38, 40, 42, 45, 48, 50, 52, 55 etc.



IS 5105 MONO FILAMENT TAPE

Mono filament is a bidirectional filament tape based on a polypropylene film laminated to glass filaments. Mono filament tape has a good longitudinal and transverse tensile strength. Ideal applications include bundling and strapping heavy goods, securing pallets and reinforcing of shipping cartons, which are exposed to shocks during transport.

Uses:

- Closing corrugated fiberboard boxes
- Reinforcing packages
- Bundling items
- Pallet unitizing

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: White



SS CROSS FILAMENT TAPE IS 5106

Filament tape is a pressure-sensitive tape used for several packaging functions such as closing corrugated fiberboard boxes, reinforcing packages, bundling items, pallet unitizing, etc. It consists of a pressure-sensitive adhesive coated onto a backing material which is usually a polypropylene or polyester film and fiberglass filaments embedded to add high tensile strength.

Uses:

- High tensile strength, suitable for palliating export cargo & packaging heavy cartons.
- For heavy duty packaging
- For sealing HR coil
- For sealing heavy weight boxes or objects
- Used for sealing bats

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: White



10

DS CROSS FILAMENT TAPE IS 5106



Double Sided Cross Filament Tape is made up with reinforced Bi-Directional fiber-glass scrim laminated to a polyester backing and coated on both side laminated with havana paper release. It has an excellent holding power increasing the reinforcement performance. It is good for rough surface and self-adhesive decoration works.

Uses:

- Used for permanent fixing of small components in place of acrylic foam tape.
- Mostly used for the joint of sports floor, insulation layer of floor, rubber products, foam, textiles, & auto interiors.
- Bonding sealing strips to doors, door frames, and windows.
- Bonding strips to machines, cars and ships.
- Provide perfect self adhesion to decoration works, automobile seats; & rough surfaces.
- Used in non-weaving fabrics, bags, suitcases, tag, and leather.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: Clear Mesh with Havana Liner

IS 5110 GREEN POLYESTER TAPE



High-temp polyester film tape is the industry standard for general purpose powder coating applications. It features like high temperature resistance, electrical insulation, radiation resistance, solvent resistance etc. This tape is very easy to stick and remove without residue, and very suitable for high temperature stoving varnish and powder coating masking etc. Translucent green backing provides easy identification and positioning. Polyester film offers excellent thermal and chemical resistance while maintaining flexibility

Uses:

- Works in demanding conditions and high temperatures ranging from -60°F (-50°C) to 400°F (204°C)
- Clean removal during high-temperature masking operations such as powder coating
- Used to mask off areas that do not require coating.

Adhesive Type: Silicon Based

Sizes Available: Cut Size and Log Roll

Colors: Transparent Green

MYLAR POLYESTER TAPE

IS 5111

Mylar tape is made of polyester film tape, single side coated with acrylic adhesive. Mylar tape is used for transformer or battery. It will remove cleanly without leaving an adhesive residue. Excellent insulation performance, Fireproof, Heat resistance (Room Temperature), Corrosion resistance

Uses:

- Winding of transformer, coil, capacitor and electric wire
- Excellent for decorative striping
- Edging of a wide variety of surfaces
- Can be used as a sensing tape where automatic equipment is used in sorting, counting, or identifying roll splices and end of rolls.

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size and Log Roll

Colors: White, Black, Red, Blue, Green, Yellow and Clear



RED POLYESTER TAPE

IS 5114

Double Sided Polyester Tape is a double-sided adhesive tape consisting of a transparent polyester film and acrylic adhesive. The adhesive system is especially resistant to plasticizers and offers a secure bond even at elevated temperatures.

Reliable bond even to LSE substrates and can be immediately used right after assembly. Suitable for most demanding applications such as heavy stress, high temperatures or critical substrates.

Uses:

- Mounting of ABS plastic parts in the car industry
- Self-adhesive mounting of rubber / EPDM profiles
- Mounting of decorative profiles and moldings in the furniture industry
- Mounting of battery packs, lenses and touch-screens in electronic devices
- To joint flex boards

Adhesive Type: Acrylic Solvent

Sizes Available: Cut size and Jumbo rolls

Colors: Clear with Red Liner



12

IS 5203 MASKING TAPE

Masking tape, also known as crepe paper tape, is a type of pressure-sensitive tape made of a thin and easy-to-tear paper, and an easily released pressure sensitive rubber based adhesive. It has residue-free removal for many days and enables exact, sharp edges on smooth and slightly rough surfaces without any paint dispersion.

Uses:

- Holding laminate on furniture.
- D.I.Y painting and detailed and precise paintings to make designs
- Painting of walls.
- Polishing of surfaces so that it is not spread out
- Cover areas which are not to be painted in the cars
-

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Jumbo Roll

Colors: Crème white



IS 5203 HIGH TEMP MASKING TAPE

Masking tape, also known as crepe paper tape, is a type of pressure-sensitive tape made of a thin and easy-to-tear paper, and an easily released pressure sensitive rubber based adhesive. It has residue-free removal for many days and enables exact, sharp edges on smooth and slightly rough surfaces without any paint dispersion.

Uses:

- Ideal for critical paint masking applications in specialty vehicle, automotive and industrial markets where strong holding and high-temperature performance is required.
- Automotive, furniture, building & construction industry.
- General paint masking, decorating, car body repair paint masking and Interior paint masking applications.
- Holding, wrapping, bundling, sealing for a wide variety of materials & applications.

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Jumbo Rolls

Colors: Crème white



KRAFT PAPER TAPE IS 5205



Kraft paper is a porous Kraft paper with high tear resistance, designed for packaging products with high demands for strength and durability.

A pressure sensitive, moisture resistant craft paper coated with strong synthetic hotmelt adhesive. It is designed for use in applications where reduced weight can provide packing material saving.

Uses:

- Cartons sealing and packing
- Silk screening
- Picture framing
- Freezer tape and leasing
- Splicing and tabbing

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: Brown, White and Black

IS 5206 REINFORCED KRAFT TAPE



Reinforcement Paper Tape is a water-activated reinforcement tape designed to provide consistent performance in sealing applications where durability , extra strength and reliability are required.

It bonds instantly to both virgin and recycled fiber surfaces and therefore, generates an immediate destructive bond resulting in a tamper evident package.

Uses:

- Most suitable for a sustainable packaging
- Suitable for industrial & general purpose packing, jointing, bundling & sealing purpose and splicing various substrates.
- Strongest tape for warehouse packaging, transport, and general purpose wrapping.
- Compatible for hand and machine carton packing & sealing applications.
- Used for bag, gift box & photo frame sealing.

Adhesive Type: Water Activated

Sizes Available: Cut Size and Jumbo Roll

Colors: Brown, White and Black

HOTMELT TISSUE TAPE

IS 5208



Hotmelt Double Sided Tissue Tapes are lightweight tissues coated with a hotmelt based adhesive.

Double Sided Tissue is recommended for mounting light objects and may be used to laminate cork, paper, plastic, and textiles. Double Sided Tissue Tapes are made from non woven-tissue paper coated on both sides and laminated with release paper.

Uses:

- Foam and felt lamination in automobile and appliances manufacturing, Printing industries, adhere posters & envelopes, in shoe and leather industry, for computerized embroidery, for mounting nameplates, metal / polycarbonate stickers etc.
- Suitable use for plastic, textile, paper, PVC, foam (Sponge), printing finishing, sign making, fabric, card board, nameplate, interior decorative and so forth.
- Ideal for wrapping gifts and packages where the adhesive needs to be hidden

Sizes Available: Cut size and Jumbo rolls.

Colors: Clear with white or printed liner.

SOLVENT TISSUE TAPE

IS 5210



Solvent Double Sided Tissue Tape with an exceptionally high tack solvent acrylic adhesive, is perfect for joining and bonding in the paper converting, print, automotive, medical, packaging and other general industries.

Solvent based adhesives can be also used for coating on tissue papers. These tapes are specially designed so that it can stick two surfaces together such that it is not visible in the end product.

Uses :

- Usable for general and light duty bonding applications
- Ideal for wrapping gifts and packages where the adhesive needs to be hidden
- Suitable for wall mounting pictures or presentations or bonding small or fragile parts
- Used in luggage, white goods, foam lamination and metal label industries
- Used for medium and high bonding applications
- Used in shoe and leather industry, foam industry, postal service, decoration, label and lot of other uses.

Sizes Available: Cut size and Jumbo rolls.

Colors: Clear with white or printed liner.

15

PVC Electrical tape (or insulating tape) is a type of pressure sensitive tape used to insulate electrical wires and other materials that conduct electricity. It can be made of many plastics, but vinyl is most popular, as it stretches well and gives an effective and long lasting insulation. We provide FR / NFR grade pvc tapes, lead-free grade and wire harness grade. It is Waterproof, chemical and corrosion resistance.



16

NFR PVC ELECTRICAL TAPE

IS 5301



Uses:

- Insulation of electrical wire joints
- Color coding (3 phase wiring)
- Insulating cable lugs in meter panels
- Insulating cable joints in submersible pumps.

Unique features:

- Good conformability for easy and simplified applications
- Excellent electrical application
- Excellent resistance to abrasion, corrosion and moisture
- High grade adhesion
- Good sealing properties
- High dielectric strength and good mechanical protection
- Available in a wide range of colours for easy identification

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Roll

Colors: Black / White / Yellow / Green / Red / Blue

FR PVC ELECTRICAL TAPE

IS 5302



Unique features:

- High stability & excellent aging properties.
- Non-migratory adhesive - not transferred from one face to another
- Resistant to acids, alkalis, oil & gasoline
- Moisture, corrosion and weather resistant
- Provides long lasting insulation thus saving short circuits
- High adhesion strength, soft, stretchy, easily unwinding
- Excellent mechanical support at high temperatures

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Roll

Colors: Black / White / Yellow / Green / Red / Blue

FLOOR MARKING TAPE

IS 5304



Floor marking tapes are adhesive tapes used to mark hazards, divide spaces, create aisles, or provide directions. They are commonly used in industrial and manufacturing facilities for floor marking. Floor Marking Tape is used with the primary intent to direct traffic throughout a facility. Vinyl Floor Marking Tape can be applied to walls, doors, floors, and vehicles. It also has good resistance to solvent, oil and water.

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Rolls

i-STIX	COLOUR	APPLICATION
	Yellow	Aiseways, Traffic lanes, Work cells
	White	Production; racks, machines, carts, benches and all other equipment that do not fall under any other color guidelines
	Red	Defect, Scrap, Red tag areas
	Orange	Materials or Product inspection; Energized equipment warning
	Blue/Green/Black	Raw materials, Work in progress, Finished goods
	Red White Hazard	Areas to be kept clear for safety reasons (around emergency access point electrical panels, firefighting wquipment , etc
	Black White Hazard	Areas to be kept clear for operational purposes (Non-Safety related)
	Black yellow Hazard	To designate areas that present special physical or health risks to employees. Indicates that extra caution is to be exercised when working in that area.

PVC PIPE WRAPPING TAPE

IS 5305

General purpose, corrosion-resistant PVC tape for use on under and above ground pipe installations. Pipe wrap tape offers excellent moisture resistance and conformability to protect metal and plastic piping.


Our tough non-conducting vinyl pipe-wrap tape fights against common indoor and outdoor elements that can lead to oxidation and other corrosion. It can be applied manually or with machinery to provide an all weather moisture-proof fortification.

Uses:

- Resists corrosion, moisture, bacteria, fungus and abrasion
- UV-resistant
- Lead free
- Excellent conformability
- Non-corrosive, rubber-based adhesive

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Roll



PVC WIRE HARNESS TAPE

IS 5306

PVC wire harness tape is a premium grade PVC Film, Coated with an aggressive rubber-resin adhesive with good aging characteristics which is designed to be conformable and unaffected by moisture and most chemicals. No Flagging or deterioration even under temperature at 120.

Uses:

- Securely bundles wires in automobile industry
- Withstands extreme temperatures and environmental conditions.
- Highly resistant to abrasion
- Used to reduce noise, vibration and harshness (NVH) in interiors.

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Roll

Colors: Black



PVC NON ADHESIVE TAPE

IS 5307



PVC Non Adhesive Tape has high elongation and elasticity. It is made from premium quality plasticized PVC compound.

Uses:

- Under and above ground pipe installations.
- Provides an all weather moisture-proof fortification.
- Ducting and HVAC industry
- Covering pipes of AC and also used in White goods Appliances

Sizes Available: Cut Size and Log Roll

Colors: Black and White

DOUBLE SIDE PVC TAPE

IS 5308

Double-sided PVC tapes are composed of Polyvinyl chloride backing material and vinyl coated adhesive on both sides. Solvent based modified acrylic adhesive. with excellent adhesion and holding power, which assures long-life permanent bonding for both out door and Indoor applications, It secures reliable bonding to smooth, rough or low energy substrates like PP, PPEP etc.

Uses:

- Bonding profiles and rubber joints
- Manufacturing and fixing of moulding and electrical cord covers
- Industrial processes where the high frequency cutting and welding are necessary.

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size and Log Roll

Colors: White with Havana liner



20

121

FOAM

A

W

Foam Tapes products for bonding, sealing, cushioning, protection, mounting and fixing applications. i-STIX Foam tape range provides solutions to practically every industry for bonding, mounting, fixing and joining applications. The products are economical, easy and quick to apply, clean to use, adaptable, versatile and consistent. Its high performance foam bonding materials consists of a wide range of EVA, PVC, PU and PE foams coated with a variety of adhesives. Available in a variety of thicknesses, adhesives, carriers and sizes.

FOAM



TAPES

SS EVA FOAM TAPE IS 5401

Single Side EVA Foam Tape is made out of Ethyl Vinyl Acetate foam coated with hotmelt adhesive and has good adhesion with high shear strength and long aging properties. Our EVA foam hardness range is between 10-18 (Shore A), depending on customer requirement.

Uses:

- Use for sealing, bonding, cushioning, protection from dust and mounting purpose.
- Used as gap fillers to absorb shocks and vibrations

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Log Roll

Colors: Black / White / Yellow / Green / Red / Blue with White / Yellow Release paper

Thickness: 1.0mm – 5.0mm



DS EVA FOAM TAPE IS 5402

Double Side EVA Foam Tape is made out of Ethyl Vinyl Acetate foam coated with hotmelt adhesive and has good adhesion with high shear strength and long aging properties. Suitable for temporary mounting & bonding application.

Uses:

- Double Side EVA Foam is suitable for fixing external and internal auto accessories, molding, wheel hub covers, spoilers, brake lights, stationery, impact preventing materials. It is also used for mounting and bonding purpose and also used in refrigeration and die-cuts.
- Used extensively for mounting posters, accessories, electronics spare parts
- Used in white goods industry.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Log Roll

Colors: White foam with Yellow Liner

Thickness: 1.0mm – 5.0mm



22

DS EVA FOAM TAPE SOLVENT

IS 5403



Double Side EVA Foam Tape is made out of Ethyl Vinyl Acetate foam coated with solvent adhesive and has good adhesion with high shear strength and long aging properties.

Uses:

- Double Side EVA Foam is suitable for fixing external and internal auto accessories, molding, wheel hub covers, spoilers, brake lights, stationary, impact preventing materials. It is also used for mounting and bonding purpose and also used in refrigeration and die-cuts.
- Provides solutions to practically every industry for bonding, mounting, fixing and joining applications

Unique features:

- Suitable for temporary mounting & bonding application.
- Used in white goods industry.


Sizes Available: Cut Size and Log Roll

Colors: White / Black / Grey Foam with White / Yellow / Blue / Green / Red liner

Thickness: 1.0mm – 5.0mm

DS EVA FOAM TAPE RUBBER

IS 5404



Double Sided Eva foam tape is coated with modified natural rubber base adhesive with Paper liner which have good tack and strong adhesion

Uses:

- Suitable for general purpose mounting, joining and fastening applications
- Perfect to be used on rough, uneven and glass tops
- Provides solutions to practically every industry for bonding, mounting, fixing and joining applications
- Hook applications

Unique features:

- Easy and Quick to apply
- Great bonding strength with High Adhesion
- Heat Resistance

Sizes Available: Cut Size and Log Roll

Colors: White / Black / Grey Foam with White / Yellow / Blue / Green / Red liner

23

DS PE FOAM TAPE SOLVENT IS 5406

Double Side PE Foam Tape is PE foam coated with solvent adhesive on both the sides giving it a good adhesion, high shear strength and long aging properties. It is available in black or white colour and with paper or PE liner.

Uses:
Double Side PE Foam Tape is mainly used in automotive interiors and cold application purposes due to its strong and excellent adhesion.

Unique features:

- Does not emit toxic fumes when burnt.
- Uses a high-performance adhesive provides an economical solution to seal doors.
- Provides permanent bonding between light surfaces.
- Used in printing and skirting applications.
- Used in auto emblem fixing

Sizes Available: Cut Size and Log Roll

Colors: Black / White / Grey foam with Green / Blue / Red liner



Excellent for:
flexible bond to plastic car body trim
car badges
number plate surrounds
car legs
boat repair
motor frame repair
calendar mounting
phone repair
etc.

For use on:
painted metals
coated metals
bare metals
plastics
glass
wood
paper
cardboard

Strong Adhesive Bond
Finest Polythene Foam

- Sealable
- Shockproof
- Lower Sound Decibel
- Not Easy To Leave Residue

24

IS 5408 NITRILE TAPE



Nitrile Foam Tape - is the flexible and self-adhesive insulation foam tape made from Nitrile rubber elastomeric Closed Cell Insulation. Ideal for wrapping hot or cold pipings and fittings. Nitrile tape is specially coated with selected acrylic pressure sensitive adhesive providing long service life.

It also has good resistance to moisture, humidity, grease etc, therefore it is suitable for sealing, baffling, cushioning and insulation. Nitrile ECO Tape This flexible and self-adhesive foam tape is made from nitrile rubber elastomeric closed cell insulation.


Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size

Colors: Black Foam with White liner

Thickness: 1.0mm – 5.0mm

IS 5412 SPACER TAPE



Structural Spacer Tape is a semi-rigid foam tape with an aggressive pressure sensitive adhesive. It has a highly aggressive adhesive on both sides, and a semi-rigid, open cell structure that maintains the required spacing, and allows air and moisture to reach the silicone to allow optimum curing. Spacer tape application replaces the uses of clips thus avoids labor cost.

Uses:

- They are specially used for aluminum doors, window, steel, aluminum surface and panel fixing.
- Highly suitable thermal insulation thus seals against water, vapor and noise.
- Highly suitable for structural glazing as a spacer.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo rolls

Colors: Grey foam with Blue Liner

UHB TAPE ULTRA HIGH BOND TAPE



Ultra High Bonding Tapes, also known as acrylic foam tape. It is easy to assemble, no drilling, riveting, welding or screw fastening. A high strength, clear, UV resistant double-sided film. Damps vibration and absorbs impact. Has high adhesion and shear strength. Heat and solvent resistant.

A good general purpose, permanent tape. Heat resistant is 180 and tolerates differential thermal extortion or contraction. Made up of superlative raw materials, our UHB Adhesive Tape is popular for excellent tack and adhesion, high cohesion strength, and resistant to heat.

Uses:

- Partition wall
- Furniture
- Sign manufacture
- Glass cabinet
- Window
- Solar panels

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size and Log Rolls

Colors: Clear / Grey / White / Black

Thickness: 0.4mm – 2.0mm



IS 5411

26

DUCT TAPE IS 5502

Duct tape, is a cloth or scrim backed pressure sensitive tape, often coated with polyethylene. There are a variety of constructions using different backings and adhesives. It has great stretch and conformability to hold tightly around corners, bends and curves. The thicker fabric with more cotton fibers makes this tape more substantial and durable and the high-tack rubber adhesive creates both permanent and repositionable bonds.

Uses:

- Reducing noise transmission when used as a flexible connector
- Exterior use and professional repair work
- Sealing fiberglass insulation or to cover thermal insulation
- A water proof covering over pipe insulation
- Many sealing and general purpose industrial applications
- Air conditioning duct work Sizes
- Various other day-to-day uses

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Jumbo Roll

Colors: Grey / White / Black / Red / Blue / Green / Yellow / Brown



BOOK BINDING TAPE IS 5504



Book Binding tape is a one-of-a-kind Self Adhesive Cloth tape for protecting spines of your valuable books. Its highly adhesive properties gives long lasting protection and it also preserves any and every book you possess. Made of vinyl-coated cotton cloth

Uses:

- Apply at the time of purchase to avoid torn book condition.
- Binds and protects your new books.
- Helps create your own books.
- Provides a face-lift for your old books.
- Helps recycle your old books.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: Grey / White / Black / Red / Blue / Green / Yellow / Brown

DS CLOTH TAPE

IS 5505



Double Sided Cloth Tape is a reliable, high shear resistant, double sided fabric tape coated with rubber adhesive. It has a Paper & polyester liner which unwinds smoothly and ensure easy release. Easily bonds glass, wood, steel, foam etc.

Cloth tapes are very good for bonding to rough surfaces and can be removed quickly and cleanly after use. The cloth carrier offers resistance to tearing, yet can itself be torn by hand.

Uses:

- Mounting of rubber stereotypes in flexo graphic printing.
- Affixing of carpets. etc

Adhesive Type: Natural Rubber

Sizes Available: Cut Size and Log Roll

Colors: White with Havana liner

HDPE TAPE

IS 5506

HDPE Adhesive Tape is a Hot Melt Tape with Heavy duty water resistance and made from HDPE Fabric providing properties such as High tensile strength, high binding capacity, Strong Adhesion, Water and moisture proofing.

Necessity for packaging most products due to its ability to provide high safety to the product. HDPE Self adhesive tape can be used for Edge Protection, as Security Seal tape, as a tamper proof tape and as a packaging branding of the company.

Uses:

- Ideal for heavy carton sealing
 - Reinforcing
 - Splicing, Bundling
 - Laminating, Strapping
 - FIBC industry product , FIBC bag jointing
- * For permanent applications mainly in preparing FIBC bag industry.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size and Jumbo Roll

Colors: Black / White / Blue



28

Aluminum foil tapes is designed to cover all key application areas where high temperature resistance and electrical or thermal conductivity are required. Flame resistant. Class “L” low flammability rating. Applications include insulation and duct sealing in the heating, ventilation and air conditioning market and electromagnetic protection in the electronic industry.

Foil backing provides an excellent reflective surface for both heat and light. Soft aluminum foil with transparent acrylic adhesive for many permanent sealing, holding, splicing or masking applications requiring the protection offered by a foil backing.

Our full-range of high-quality aluminium foil tapes are advisable for a variety of insulation purposes, most commonly construction and building industry.

ALUMINIUM FOIL TAPE WITH LINER

HOTMELT IS 5601

SOLVENT IS 5603

Uses:

- Seal and patch tears in truck trailers, as well as other outdoor equipment.
- Reflect heat away from sensitive areas.
- Thermal heat conduction.
- General purpose holding, patching, sealing applications – indoors or outdoors.
- Splicing of thin gauge foils.
- Good mask in electroplating of aluminum because it will not contaminate the bath.

Sizes Available: Cut Size and Jumbo Roll

Colors: Silver



ALUMINIUM FOIL TAPE WITHOUT LINER

HOTMELT IS 5602

SOLVENT IS 5604

Uses:

- Seal and patch tears in truck trailers, as well as other outdoor equipment.
- Reflect heat away from sensitive areas.
- Thermal heat conduction.
- General purpose holding, patching, sealing applications – indoors or outdoors.
- Splicing of thin gauge foils.
- Good mask in electroplating of aluminum because it will not contaminate the bath.

Sizes Available: Cut Size and Jumbo Roll

Colors: Silver



FSK ALUMINIUM FOIL TAPE IS 5605

FSK (Foil Scrim Kraft) Tape is a high quality laminated strip with glass fibers to give strength and puncture resistance.

FSK Aluminum foil tapes are used on seams and joints of fiberglass and aluminum backed duct board. It provides an excellent barrier to vapor and conform to irregular surfaces. FSK Aluminum foil tape may be used for shielding and covering thermal insulation.


Uses:

- Sealing of rigid & blanket style fibreglass duct insulation.
- High performance insulation tape for vapour sealing application.
- Reinforced fibreglass & mineral-wool thermal insulation.
- Ideal for making inconspicuous repairs to foil-backed insulation.
- Mold resistant.
- Low cost & highly efficient in HVAC solutions

Adhesive Type: Synthetic Hotmelt Rubber

Sizes Available: Cut Size and Jumbo Roll

Colors: Silver



30

FSM ALUMINIUM FOIL

IS 5606



Foil Scrim Mesh Aluminum Tape is made of reinforced aluminum foil veneer coated with high-performance solvent-based/synthetic rubber pressure-sensitive adhesive and composite single-sided PE coated silicone release paper. Reinforced Aluminum Seam Tape is specially designed to seal seams between our aluminum or polyester film faced acoustic products to achieve maximum results and attain a nice finished appearance.

Uses:

- Sound-proofing and heat insulation
- Joining and sealing insulation
- Cold air ducting, chilled water piping, air conditioning and refrigeration
- Lagging and roofing insulation.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size

Color: Transparent mesh backed by aluminum foil with white release liner

FSG ALUMINIUM FOIL TAPE

IS 5607



FSG (Foil Scrim Glasscloth) Foil Tape is made of fiberglass composite aluminum foil veneer with high-performance solvent-base/synthetic rubber pressure-sensitive adhesive and composite single-sided PE coated silicone release paper

Uses:

- HVAC thermal Insulation, building thermal insulation, industrial and vessel engine room's thermal insulation.
- Vapor seal for reinforced aluminum faced fiberglass or mineral wool thermal insulation.
- Sealing of joints and seams in industrial pipes for thermal insulation.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size

COPPER FOIL TAPE

IS 5603

Copper foil tapes are recommended for electro-static shielding, cable wrapping, and stained glass work. They may or may not be conductive, and their adhesive may also be conductive. Copper foil tape is chemically resistant and may or may not have a liner.

Copper foil tapes are available in standard and custom slit widths as a self wound product or on a liner. The tape is available with an acrylic adhesive which can be conductive or non-conductive. Copper foil tapes are very conformable and ideally suited for critical shielding and masking applications. The tapes have a multitude of uses in electronic design and production.

Uses:

- EMI / RFI Shielding
- HVOF Masking
- Telecommunications
- Static Charge Draining
- Cable Wrapping
- Solderable Trim for Decorative Glass

Adhesive Type: Acrylic Solvent (Conductive)

Sizes Available: Cut Size



THERMAL CONDUCTIVE TAPE

IS 5711

Thermally conductive tapes are designed to provide preferential heat transfer between heat generating electronic components and cooling devices such as fans, heat sinks, or heat spreaders. They are also used for thermal management of high powered LED's which can run at high temperatures, thus increasing the efficiency and reliability of the system. The tape is environmental friendly.

Uses:

- Electronic equipments
- LED lighting
- The fixing of IC and heat sink
- The adhesion and fixing of chips and heat sink.

Unique features:

- Flexible and soft surface
- Good thermally conductivity
- Good heat transfer
- Voltage resistance

Adhesive Type: Acrylic Solvent (High Temp)

Sizes Available: Cut Size and Log Roll

Colors: White with Blue liner



32

ANTI SLIP TAPE



IS 5702

Anti Slip Tape can be applied onto almost any surface and instantly provides an anti-slip surface that is ready to walk on, It is a mineral-coated, slip-resistant material reducing trip hazards on smooth and flat surfaces - designed in a wide range of colors and sizes. Enhances personal safety. It combines high quality abrasives and tough, durable adhesives to give outstanding slip resistance over long periods Prevents slips and falls at home. Avoid applying directly above tile grouting.

Uses:

- Anti-Slip Tape reduces the risk of accidents on slippery, uneven or split level floor surfaces.
- Best choice where mud may be present.
- Very, very durable because of its large grit size.
- Useful where extra strong traction is needed, such as external ramps, sloping driveways, loading docks.
- Enhances safety at home especially on slippery floors like marble, granite etc.
- Useful for dry areas like steps, ramps, ladders, staircases etc.

Adhesive Type: Synthetic Rubber - Hotmelt

Sizes Available: Cut Size

Colors: Black / White / Yellow-Black / Grey / Clear / Black with reflective strip
Black with glow strip / Glow / Caution Printed / Watch your step printed





**ANTI SLIP
WATCH YOUR STEP TAPE**

**ANTI SLIP
+ REFLECTIVE
TAPE**



ANTI SLIP CAUTION TAPE

**ANTI SLIP
+ GLOW TAPE**



POLYIMIDE TAPE IS 5703



Polyimide tapes make innovative design solutions possible in a range of industries including, consumer electronics, solar photovoltaic and wind energy, aerospace, automotive and industrial applications. Polyimide has a high dielectric strength. Silicon adhesive protection leaves no residue.

High performance, reliability and durability, with a unique combination of electrical, thermal, chemical and mechanical properties that withstand extreme temperature, vibration and other demanding environments.

Uses:

- Automotive sensor and manifolds
- Insulating circuit boards
- Etching
- Fiber Optics Cable
- High temperature powder coating
- Semiconductor manufacturing
- Wave soldering during circuit board assembly

Adhesive Type: Silicon

Sizes Available: Cut Size and Log Roll

Colors: Amber Clear

IS 5713 BUTYL TAPE

Keep air and moisture from damaging your building with our flashing tape. Made with highly durable butyl rubber, this tape will effectively seal seams and rough openings. Butyl flashing tape can be used around windows, doors, and other areas that put the building at risk of weather-related structural issues. Keep your structure safe with the right equipment.


Butyl synthetic rubber adhesive is designed to provide a secure seal between metal panels in metal roofing and metal siding applications. When installed between each panel overlap, butyl tape forms an effective weather barrier against moisture, dirt, air, and allergens

Adhesive Type: Synthetic Butyl Rubber Based

Sizes Available: Cut Size

DOUBLE SIDE & SINGLE SIDE AVAILABLE

Colors: Silver



IS 5801 REFLECTIVE TAPE

Reflective tape or sheeting is also referred to as retro-reflective in that it collects and returns light back to the source of that light. In other words no matter which direction the light comes from, the reflective material collects it, focuses it, and returns it back to the light source.

Retro-reflective tape is used voluntarily all over the world to allow objects to be seen at night. There are also government regulations that mandate the use of retro-reflective tape in certain situations.

Uses:

- Walkways
- Ledges
- Low hanging objects or structures
- Clothing
- Bicycles/Motorcycles
- Helmets
- Warehouse Machinery
- Posts and Barriers

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size

Colors: White / Yellow / Red / Green / Blue



GLOW TAPE IS 5805

Photo-luminescent Glow in the dark tape is a special type of tape that will legit glow in the dark. Glowing tape is commonly used to help improve the safety in warehouses, manufacturing facilities, and even on emergency equipment. Glow tapes are non-toxic, and free from any phosphorous or radioactive material.

Uses:

- Illuminates stair nosing,
- Door surrounds,
- Walkways,
- Stairways,
- Skirting boards,
- Entrance/exit ways
- And anywhere else that would require strong, electricity free illumination.

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size

Colors: Neon green, Big Arrow, Small Arrow, Exit Man



I W A R S T A P E

IN WARS TAPE



iWARS tape is easily cut to any size and length you want! It can be stretched, bent and folded to meet your needs.

Washable and reusable : When the removable double sided tape gets dirty, you can wash it with warm water and dry it to regain its stickiness, Do not use any other wipes or detergent. This removable tape is perfect for any job.

All surface : Hold items up to 1 KG (2.2 LBS) on smooth surfaces. This doubled-side tape can be widely used in home, office, car, wardrobe, bathroom, and so on. You can use it to fix or paste many things such as car phone holder, poster, picture frame, pen holder, wall sticker, hook, small tools, sticky pads, phone cases, patches, decorations, and so on.

Reusable : i-wars tape can be reused over 2000 times before seeing any reduction of strength, the removable adhesive tape is very easy to remove and will not damage your walls or surfaces with no residue left. With its design of clear mounting tape, virtually invisible fastening helps keep surfaces smooth, perfect for transparent objects double sided tape.

Strong viscosity : Through new technology and unique eco-friendly PU gel material ,non-toxic and tasteless .Washable, reusable, easy to remove and leave no traces.

Adhesive Type: Acrylic Solvent

Sizes Available: Cut Size


Colors: Super Clear

IS 5901



37

STIX FIX TAPE



Stix fix tape is a super strong, rubberised, waterproof tape that instantly seals out water, air and moisture to create a flexible, rubberised, waterproof barrier! Use stix fix tape to patch, bond, seal and repair virtually everything! Stix fix tape is specially formulated with a thick, flexible, rubberised backing that conforms to any shape or object, along with an extra thick, super sticky adhesive that creates a super strong bond. Stix fix tape can be applied hot or cold, wet or dry...EVEN UNDERWATER! Stix fix tape is extra wide to quickly cover large cracks, gaps and holes. Stix fix tape is UV resistant, environmental friendly VOC-free and has a wide temperature range so it can be used in extreme weather conditions.

- Uses:
- Use on plastic, vinyl, PVC, metal, wood, stucco, plaster, brick, concrete, glass, rubber, tile, fibreglass, ceramic, porcelain, stone, dry wall, EPDM and so much more!
 - Excellent for roofs leaks, gutters, boats, kayaks, personal water-crafts and canoes, rafts, inflatables, air mattresses, outdoor equipment, mobile homes, RV's and campers, PVC and plumbing pipes, tents, air ducts, HVAC systems, DIY projects and so much more!

Adhesive Type: Synthetic Butyl Rubber Based

Sizes Available: Cut Size

Colors: Super Clear, White & Black

IS 5902

STIX FIX TAPE

38

New & Upcoming.

IS 5508



Gaffer Tape

IS 5509



Neon Gaffer Tape

IS 5510



Camouflage Tape

IS 5905



Mildew Tape

IS 5906




Screen Repair Tape

IS 5112



Door Holding Tape

IS 5115



Transfer Tape

IS 5118



Temper Evident Tape

IS 5119




Surface Protection Tape

IS 5120



Floor Guard Tape



MUMBAI HEAD OFFICE

J-10, Press Mill Compound,
Magazine street, Darukhana,
Mazgaon, Mumbai - 400010.

+91 8104393117
info@instabizsolutions.com

CHENNAI BRANCH OFFICE

No. 7 Murugesan Street, Kondithope,
Chennai 600079

+91 9445534415
chennai@instabizsolutions.com

SARIGAM FACTORY

636/2, Dungari Faliya, Near Nr
Agarwal,
Angam Village, Sarigam, Dist Valsad,
Gujarat 396155

info@instabizsolutions.com

<https://www.instabizsolutions.com/>



info@instabizsolutions.com

<https://wa.me/message/FRSNELAYRO35H1>



41

SOCIAL MEDIA

Come Connect With Us!

CLICK ON, TO GO TO PAGE

<https://www.instagram.com/istixtape/>



<https://www.facebook.com/istixtapes>

<https://twitter.com/istix2>



<https://www.linkedin.com/company/instabiz-solutions>



<https://t.me/instabizsolutions>



<https://www.amazon.in/stores/iSTIX/>



42

i-STIX®

TAPES

TAPES

TAPES

TAPES

TAPES

TAPES

TAPES

TAPES



Catalog

instabiz solutions 